

November 04, 2008

Perrigo Customers Requiring CPSIA Certification for PPPA Products

Subject: CPSIA Certification No: 29

| CPSC Product Safety Regulation: | PPPA - 16 CFR 1700 |
|---|---|
| Product Identification/Lot Number: | Customer Part Numbers for CR Test Report U200-286 |
| Date of Manufacture: | Any Production for CR Test Report U200-286 which is impacted by PPPA produced on or after November 12, 2008 |
| Perrigo Address of Manufacture: | Perrigo Company |
| | 515 Eastern Ave |
| | Allegan, MI 49010 |
| Name and Address Where Product was | Child-Related Research |
| Tested for Compliance: | 2605 East 3300 South |
| | Salt Lake City, UT 84109 |
| Date Product Tested for Compliance: | 4/25/2006 |
| Contact Information for Maintenance of Records: | Perrigo Consumer Affairs: |
| | OTC Product Questions/Comments |
| | 1 800 719-9260 |
| | OtcComments@perrigo.com |
| | Nutrition Product Questions/Comments |
| | 1 866 703-4222 |
| | NutritionalComments@perrigo.com |
| | Rx Product Questions/Comments |
| | 1 866 634-9120 |
| | RxComments@perrigo.com |
| | |